INDEX TO VOLUME 77

Names of contributors are printed in CAPITALS. Names of new genera, species, varieties, forms and combinations are printed in bold face. Numbers in italic refer to pages on which the name is listed as a synonym. Numbers in bold face refer to pages on which the name is accompanied by a description or illustration.

Abama americana, 46
Abies balsamea, 373, 378; *concolor*, 361; *Koreana*, 409
Acacia, 495
Acer Negundo, 373, 374; *saccharinum*, 373, 374
Achras zapota, 204, 206
Aconitum, 406
Adiantum, 230; *pedatum*, 230
Aeglopsis, 368, 370; *Chevalieri*, 368, 369, 370, 371; *Eggelingii*, 370, 371
Aesculus glabra, 373, 374
Aetopteron, 170
Agave, 6; *virginica*, 5
Agrobacterium tumefaciens, 382
Agrostemma, 270
Agrostis verticillata, 64, 68, 71
Ailanthus altissima, 373, 374; *glandulosa*, 224
Albizzia julibrissin, 46
Alethopteris, 484
ALLARD, H. A.: The sandbox tree and its armament, 509
Alliaria Alliaria, 167
Allium, 265; *cepa*, 262, 266, 302, 305, 341, 347, 373, 379, 380; *neapolitanum*, 498
Aloina, 503, 504, 505, 506
Aloina brevirostris, distribution of, 503
Aloina brevirostris, 503, 504, 505, 506, 507, 508; *macrorhyncha*, 504, 505; *regida*, 504
Alternaria solani, 295
Amanita, 296
Ammoselinum, 134; **Rosengurttii, 133, 135**
Amphiachyris draunculoides, 196
Anchusa sempervirens, 497, 498
ANDREWS, HENRY N., A fossil osmundaceous tree-fern from Brazil, 29
Andropogon barbinodis, 66, 73; *cirratus*, 66, 73; *glomeratus*, 47, 66, 73; *Hallii*, 66, 73; *ischaemum*, 63, 66, 73, 74; *saccharoides*, 66, 73; *scoparius*, 66, 73; *ternarius*, 268
Anemia, 329, 330
Anemone caroliniana, 269
Anemonella thalictroides, 307
Antennaria fallax, 191
Anthephora, 69
Antheridial branches, of *Pythium*, 442
Anthoceros laevis, 142
Apium, 134; *giganteum*, 134; *Popei*, 134
Aplectrum, 168
Arabis lyrata, 408
Araucaria brasiliana, 362
Arenaria patula, 6
Arisaeme stewardsonii, 409
Aristida, 6, 69; *longispica*, 4; *tuberculosa*, 47
Arracacia, 136; **Meyeri, 134**; *Schneideri*, 136
Arthraxon, 74
Arundinaria, 248, 385
Arundo donax, 387; *mauritiana*, 387
Asclepiadora viridis, 7
Asclepias syriaca, 250
Asimina triloba, 373, 374
Aspergillus, 296; *niger*, 77, 78, 79, 80, 81, 308; *sydowi*, 77, 78, 81
Asphodelus albus, 498
Aster macrophyllus, 191
Astrebla lappacea, 65, 71, 73
Athyrium felix-foemina, 230
Atriplex arenaria, 228; *tatarica*, 45
Aucuba japonica, 292
Avena, 230
Axonopus, 73; *furcatus*, 66, 73
Azalea lutea, 167

Bacillus cereus, 38, 39, 40, 41, 42, 43
Bacteria. and frenching symptoms of tobacco, 38
Baldwin. J. T. Jr., and Bernice M. Speese: *Aeglopsis Chevalieri* in Liberia, 368
Bamboo, sooty stripe disease of, 385
Bambusa, 385
Baptisia leucophaea, 269
Barbula breviorstris, 505; macrorhyncha, 505; rigida, 505
Barnhart, John Hendley, 163
Barnhartia, 167
Basal rot, control of, 287
Balilima, 168
Bassia, 204, 208; *latifolia*, 210; *longifolia*, 210
Bauhinia heterophylla, 212
Begonia, 288

Belamcanda chinensis, 7
BERGER, C. A.: (Review), 407
Billbergia nutans, 341, 343, 347, 349
BILLINGTON, CECIL: Shrubs of Michigan (Review), 407
Blechnum penna marinum, 46; *spicant*, 46
Blepharidachne, 68; *bigelovii*, 64, 71
Boletus, 296
Botanical names, application and use of, 245
Botrychium obliquum var. *oneidense*, 408; *virginianum*, 228
Botryopteris, anatomy of, 462
Botrypteris, 462, 463, 464, 465, 466, 474, 479, 483, 485; *americana*, 475, 481, 482; *antiqua*, 463, 479, 480, 482; *cylindrica*, 463, 480, 482; *forensis*, 463, 473, 476, 479, 480, 481, 482; *Fraiponti*, 479, 481, 482; *hirsuta*, 480, 482; *minor*, 481; *mucilaginosa*, 468, 481, 482; *radiata*, 481; *ramosa*, 480, 481, 482; *Renaulti*, 481, 483; *tridentata*, 481, 482; **trisecta, 463, 469, 470**, 479, 480, 482, **483**, 484, 485
Botrytis allii, 80
Bougainvillea, 292
Bouteloua, 69, 71, 75; *brevista*, 65, 71; *curtipendula*, 7, 69; *eriopoda*, 65, 71; *filiformis*, 65, 71; *trifida*, 65, 71
Brachyelytrum erectum, 65, 69, 71, 75
Brassica, 19, 20, 23, 24, 25, 27, 347; *alba*, 25; *arvensis*, 24; *balearica*, 20, 23; *campestris*, 19, 22, 24, 25, 26; *campestris* var. *annua*, 22; *campestris* var. *autumnalis* 22; *campestris* var. *oleifera*, 26; *campestris* var. *sarson*, 26; *campestris* var. *toria*, 26; *carinata*, 24; *cernua*, 25; *chinensis*, 24, 25; *cretica*, 20, 23, 24; *cretica* subsp. *atlantica*, 23; *cretica* subsp. *Cazzae*, 24; *cretica* subsp. *cretica*, 23; *cretica* subsp. *insularis*, 23, 24; *cretica* subsp. *nivea*, 24; *Desnottesii*, 24; *fruticulosa* subsp. *Cossoniana*, 24; *Hilarionis*, 20, 23; *hirta*, 25; *japonica*, 25; *juncea*, 24, 25; *macrocarpa*, 23; *montana*, 19, 25; *napiformis*, 25; *napobrassica*, 25; *napus*, 19, 22, 23, 24, 25, 26; *napus* var. *napobrassica*, 25; *napus* var. *oleifera*, 26; *narinosa*, 25; *nigra*, 23, 24, 25; *nipposinica*, 25; *oleracea*, 19, 20, 23, 24, 25, 26, 96, 497, 501; *oleracea acephala* var. *vulgaris*, 22; *oleracea* subsp. *incana*, 23; *oleracea* subsp. *insularis* var. *Ayliesii*, 24; *oleracea* subsp. *insularis* var. *corsica*, 24; *oleracea* subsp. *oleracea*, 19; *oleracea* subsp. *sylvestris*, 23; *oleracea* subsp. *villosa*, 23; *oleracea* var. *acephala*, 25; *oleracea* var. *capitata*, 20, 22, 25, 341, 347; *oleracea* var. *capitata rubra*. 21;
Catolechia, 143
oleracea var. *caulorapa*, 21, 22; *oleracea* var. *caulos*, 26; *oleracea* var. *cretica*, 26; *oleracea* var. *gemmifera*, 20, 21, 22, 25; *oleracea* var. *gongylodes*, 21; *oleracea* var. *Pourettii*, 19; *oleracea* var. *ravacaulos*, 26; *oleracea* var. *Sabauda*, 20; *oleracea* var. *suffruticosa*, 19; *oleracea* var. *sylvestris*, 19; *pekinensis*, 24, 25, 96; *rapa*, 22, 24, 25, 341, 347; *rifana*, 24; *Robertiana*, 19, 20; *Robertiana* var. *appenina*, 20; *rupestris*, 25; *sativus*, 345; *saxatilis* subsp. *africana*, 24; *saxatilis* subsp. *nudicaulis* var. *berberica*, 24; *saxatilis* subsp. *nudicaulis* var. *maritima*, 24; *saxatilis* subsp. *nudicaulis* var. *purpurascens*, 24; *scopulorum*, 23; *sylvestris*, 23; *sylvestris* subsp. *incana*, 23; *sylvestris* subsp. *Robertiana*, 23; *sylvestris* subsp. *rupestris*, 24; *sylvestris* subsp. *sylvestris*, 23; *sylvestris* subsp. *villosa*, 23; *Tourfortii*, 20, *tournefortii*, 22
Braun's "Fragmente", 35, 181
Breweria, 140; *Pickeringii*, 46
Bromus catharticus, 71
Broussonetia papyrifera, 7
BROWN, WALTER V., A cytological study of some Texas Gramineae, 63
Bryophyllum calycinum, 382, 383
Bryum alexandri, 217; *catharinae*, 217; *lawersianum*, 217; *melvilleanum*, 217
BUELL, MURRAY F.: (Review) 54, 309
Buellia, 143
Bulletin on Narcotics, new journal, 143
Buxbaumia sphylla, 141
Buxus sempervirens, 292
Byssochlamys fulva, 517

Calapogon pulchellus, 46
Callicarpa madagascariensis, 391
Calluna vulgaris, 497, 500, 501
Caloplaca, 143
Caltha palustris, 307
Calvatia cyathiformis, 142
Calycanthus, 409
Camellia japonica, 289, 292
CAMP, W. H., Francis Bacon lunches with the Torrey Botanical Club, 146
Capsicum annuum, 373
Carcinogens, and plant growth substances, 110
Carex, 140; *laeviconica*, 341, 349; *stipata*, 269; *umbellata*, 269

Carpenteles, 516
Castanea vulgaris, 497, 498, 500, 501
Castilleja coccinea, 269; *gleasoni*, 217
Cedrus atlantica, 409; *atlantica* var. *glauca*, 409
Cell forms, 340
Celtis, 384; *laevigata*, 384
Cenchrus myosuroides, 66, 73, 74
Centunculus minimus, 269
Cephalozia connivens, 141
Cercidiphyllum japonicum, 409
Cetraria islandica, 408
Chamaecyparis lawsoniana var. *allumi*, 288
Chamaerops humilis, 373, 378
Chamaesyce, 248
Chara gymnopus, 35
Characeae, 35, 181
Chelone glabra, 172
Chionanthus, 409
Chloris, 71; *andropogonoides*, 65, 73; *ciliata*, 65, 73; *cucullata*, 65, 73; *gayana*, 65, 73; *petraea*, 65, 73; *verticillata*, 65, 73; *virgata*, 65, 71, 73
Chrysanthemum, control of basal rot in, 287
Chrysanthemum frutescens, 292; *hortorum*, 287; *morifolium*, 287;
Chrysophyllum cainito, 256; *sericeum*, 256
Cinchona, 406
Cirsium discolor, 269
Cistrus hirsutus, 498
Citrus, 368, 370, 497; *aurantifolia*, 373, 374; *limonia*, 373, 374; *sinensis*, 373, 374
Claytonia caroliniana, 408
Clerodendrum alboviolaceum, 392; *arenarium* var. **macrocalyx, 393,** *aucubifolium* var. **giganteum, 393;** *aucubifolium* var. **longiflorum, 393; Boivinii, 394; chartaceum, 394; dauphinense, 395; Ellioti, 396;** *emirnense* f. **dentatum, 397;** *emirnense* var. **diffusum, 397**
Climacium, 141, 341, 349
Coccidioides immitis, 77
Coccothrinax argentea, 171
COCHRANE, VINCENT W. and JEAN E. CONN: The metabolism of species of *Streptomyces*. II. The nitrate metabolism of *S. coelicolor*, 10
COCHRANE, VINCENT W.: The metabolism of species of *Streptomyces*. III. The nitrate metabolism of *Streptomyces griseus*, 176
Codium, 298; *elongatum*, 298; **magnum, 298, 299**
Colchicum autumnale, 495
Coleus, 224
Colletotrichum circinans, 294; *phomoides*, 295
Coniosporium Arundinis, 387
Conocephalum, 142
Coriaria myrtifolia, 495
Corn grass, 274
Cornus, 374
Corydalis flavula, 408
Cottea, 67
COWAN, RICHARD S.: (Review), 232
Crataegus, 203; *arnoldiana*, 218; *monogyna*, 497
Cremastogaster lineolata, 515; *steinheili*, 512
Crocanthemum, 173
Cronartium, 229
Crotophaga ani, 511
Cryptomeria, 409; *japonica*, 361, 362
Cryptostegia madascariensis, 212
Cucumis sativus, 443
Cucurbita maxima, 373, 374
CUMMINGS, GEORGE B.: The genus *Scopella* of the uredinales, 204
Cupressus arizonica, 373, 378
Curtis. J. T., and Grant Cottam: Antibiotic and autotoxic effects in prairie sunflower, 187
Cyanococcus liparis, 256, 257; *subcordatus*, 256; *tallapusae*, 256
Cyathea, 333
Cyathodes, 248
Cycas, 363; *revoluta*, 361
Cyndon, 248; *dactylon*, 65, 69, 71
Cyperus, 373, 374
Cypselea, 269
Cytisus, 409

Daboecia polifolia, 497, 498, 500
Dactyloctenium, 68
Daphne odora, 289, 292
Davidia involucrata, 409
DAWSON, E. YALE: Notes on some Pacific Mexican Dicotyotaceae, 83; A giant new *Codium* from Pacific Baja California, 289
Decapitalization, specific and trivial, 214
Delphinium virescens, 7
Dianthus, 270; *caryophyllus*, 288, 292
Dicentra cucullaria, 307, 308, 408
Dicotyotaceae, 83
Dicranopteris, 323, 327, 333, 338; *linearis*, 324, 329, 338; *pectinata*, 323, 324, 325, 330, 332, 333, 334, 338
Dictyota, 83, 84, 86, 88, 89, 90, 92; *Binghamiae*, 84, 85, 86, 89, 90, 92; *concrescens*, 92, 93; *crenulata*, 83, 88; *cribosa*, 83, 88,

92; *dichotoma*, 83, 84, 90, 91, 92; *divaricata*, 84, 89, 91; *flabellata*, 84, 85, 88, 89, 90, 91, 92; *hesperia*, 85, *89*, 92; *Johnstonii*, *84*, 85, *89*, 92; *Kunthii*, *84*; *marginata*, *86*; *Masonii*, 83, 92; *Vivesii*, *90*, 91, 92
Diervilla, 292
Digitalis, 406
Dilophus, 83, 86, 88, 92; *flabellatus*, 85, *86*, *89*; *marginatus*, *86*, 92; **Okamurai**, **83**, **86**, 87, 92; **pinnatus**, 83, **87**, 92
Diplophyllum apiculatum, 141
Diploschistes, 143
Diplotaxis tenuifolia, 45
Dipteris, 336, 337
Distichlis, 68, 74
DODGE, B. O.: (Review), 515
Dolerotheca, 484
Dracocephalum, 248
DRESCHLER, CHARLES: A Pythium with stout oogonial spines and coiled antheridial branches, 442
Drosera rotundifolia, 47
Dryopteris, 329; *Goldiana*, 408; *Thelypteris*, 47
DUNCAN, WINIFRED: Webs in the Wind (Review), 407

Echinochloa, 247; *colonum*, 66, 73
Echium plantagineum, 497, 500, 501
Eleusine, 68
Elymus, 67; *interruptus*, 64, 66, 71
Enkianthus, 409
Enneapogon, 67
Epacris, 248, 249; *juniperina*, 248; *longiflora*, 249; *longifolia*, 248; *pumila*, 248
Ephedra, 362; *altissima*, 354, 361, 362, 364
Epilobium hirsutum, 47
Equisetum, 363; *arvense*, 373, 374; *hiemale*, 230
Eragrostis, 68, 69, 74; *beyrichii*, 64, 71; *secundiflora*, 64, 71; *spicata*, 64, 71
Eremochloa ophiuroides, 66, 73, 74, 75
Erianthus, 140
Erica, 292; *arborea*, 497, 500; *australis*, 497, 500; *cinerea*, 497, 498, 500, 501; *umbellata*, 497, 498, 500, 501
Erigeron, 249, 259; *confinis*, 249; *douglasii*, 249; *foliosus*, 249, 256, 258, 259, 260; *nuttalii*, 249; *pulchellus*, 191; *setchellii*, 249; *stenophyllus*, 249
Eriocaulaceae, 389
Eriocaulon candidum, **389**
Eriochloa contracta, 66, 73
Erwinia carotovora, 38, 39
Eryngium, 134
Erythronium 228; *americanum*, 307, 408
Escherichia coli, 16, 431
Eschscholtzia, 309; *californica*, 309
Eucalyptus, 495, 497
Euglena, and Vitamin B_{12}, 423
Euglena, 432, 425, 426, 427, 428, 429, 430, 431, 432, 433, 434, 436, 437, 438, 439, 440; *gracilis*, 423, 429; *gracilis* var. *bacillaris*, 423, 439
Euonymus atropurpureus, 373, 374; *japonica*, 292
Eupatorium serotinum, 45
Euphorbia, 194, 248; *antiquorum*, 248; *barnhartii*, 167; *hexagona*, 196; *pulcherrima*, 288, 292
Evolvulus, 6; *argenteus*, 7
EWAN, JOSEPH: (Review), 309

Ficus, 212
Field trip reports, 46, 140, 307, 408
Fimbristylis caroliniana, 269
Flora of Texas, a statistical summary of, 192
Foeniculum vulgare, 139
Fontinalis gigantea, 141
Forestiera ligustrina, 5
Formica exsectoides, 515
Forsythia, 373, 374; *viridissima*, 498
Fossil tree fern, 29
Fossombronia, 327
Franklinia Alatamaha, 173
Frenching symptoms, of tobacco, 38
Frullania, 141; *plana*, 141
Fuchsia hybrida, 289, 292
Fungus spores, 77
Fusarium, 287, 289, 290

Galax aphylla, 250
Galium virgatum, 5
GALLØE, OLAF: Natural history of Danish lichens (Review), 142
Gardenia jasminoides, 289, 292
GATES, R. RUGGLES: Genetics and taxonomy of the cultivated Brassicas and their wild relatives, 19
Gentica iberica, new journal, 232
Genetics and taxonomy, of cultivated brassicas, 19
Geocalyx graveolens, 141
Geocarpon, 269, 270, 271, 272
Geocarpon minimum Mackenzie, notes on, 268
Geocarpon minimum, 268, 269, 272, 273
Geranium molle, 498
Ginkgo, 354, 363, 364, 365
Glade flora, distribution of, 1

Gleichenia, 323, 325, 327, 331, 333, 336, 337, 338; *circinnata*, 324, 330, 331; *dicarpa*, 324; *dichotoma*, 324; *flabellata*, 324; *hecistophylla*, 324; *laevigata*, 324; *pectinata*, 324; *polypodioides*, 324, 327, 329, 331; 333; 335; *rupestris*, 324, 330; *vulcanica*, 324, 325, 327, 329, 330, 331, 332, 334, 335, 337, 339
Gleicheniaceae, gametophyte of, 323
Gleicheniella, 323; *pectinata*, 324
Gliocladium, 517
Glomerella cingulata, 296
Glossophora coriaceum, *84*; *Kunthii*, *84*
Gnetum, 354, 355, 356, 361, 362, 363, 364, 365; *africanum*, 355; *funiculare*, 362; *gnemon*, 354, 355, 361, 362, 365; *verrucosum*, 362
Gramineae, cytological study of, 63
Greulach, Victor A. and Earlene Atchison: Inhibition of growth and cell division in onion roots by maleic hydrazide, 262
Grindelia, 6; *lanceolata*, 5
Gutierrezia, 196
Gyalecta, 143
Gymnocladus dioeca, 46
Gymnosporangium, 229; *juniperi-virginianae*, 295
Gypsophila, 270

Habenaria integra, 46; *nivea*, 140
Habrosia, 270
HARPER, ROLAND M.: A statistical summary of the flora of Texas, 192
Hartmannia, 201
Hectorella, 270
Hedera helix, 292
Helenium tenuifolium, 201
Helianthemum, 168
Helianthus, 187, 188, 190, 191; *annuus*, 112, 341, 347; *grosseserratus*, 187, 188; *occidentalis*, 187, 188; *rigidus*, 187, 188, 189, 190; *scaberrimus*, 187; *tuberosus*, 187, 188
Heliotropum, 6; *tenellum*, 6
Helminthosporium, 296
Hemileia, 204, 213; *holstii*, 213
Hepatica acutiloba, 408
Herniaria, 270
Hevea brasiliensis, 509
Hexalectris, 168
Hicriopteris, 323, 325, 327, 330, 333, 338; *Bancroftii*, 324, 325, 330, 332; *glauca*, 324, 325, 328, 329, 330, 331, 332; *volubilis*, 324, 325, 327, 328; 330, 332, 336
Hilaria, 69, 75; *belangeri*, 65, 69, 71; *mutica*, 65, 69, 71
Holmskioldia angustifolia, 397; Humberti, 398; madascariensis, 398; *microcalyx* var. **glabrescens, 399; microphylla, 399;** *microphylla* var. **glabrescens, 400; mira, 400;** *mira* var. **fissa, 401**
Honeys, of Spain, 495
Houstonia patens, 6
Hura crepitans, 509, 513
Hydrangea arborescens, 308; *paniculata* var. *grandiflora*, 292
Hydrastis, 406
Hypericum frondosum, 5, 6

Index to American botanical literature, 55, 151, 233, 312, 412, 518
Induced vascular differentiation, 301
Inula brittanica, 45; *dysenterica*, 45; *graveolens*, 45; *helenium*, 45; *salicina*, 45; *viscosa*, 45
Iris, 373, 374
Isanthus, 6
Iseotes, 6; *braunii*, 140; *Butleri*, 5; *melanopoda*, 6
Iva oraria, 46

Javilla, 509, 512, 513, 514
Jeffersonia diphylla, 170
JOHNSON, MARION A.: Growth and development of the shoot of *Gnetum Gnemon* L. I. The shoot apex and pith, 354
Journal of Experimental Botany, new journal , 308
Jubula pennsylvanica, 141
Juniperus communis, 373; *communis* var. *montana*, 378; *horizontalis*, 373, 378; *virginiana*, 4, 8

Kalanchoe, 373, 374
Kalmia latifolia, 495
Koelreuteria paniculata, 46
KOJAN, SELMA: Some further studies of incompatibilities in *Petunia axillaris*, 94

Laburnum, 409
Lactobacillus lactis, 431; *leichmannii*, 431
Lactuca, 347; *sativa*, 347; *sativa* var. *romana*, 341
Lantana camara, 292
Larix leptolepis, 409
Leavenworthia, 6, 7; *aurea*, 6; *stylosa*, 6; *torulosa*, 6; *uniflora*, 5
Lecanora, 143
Lecidea, 143; *elaeochroma*, 143
Leersia, 71; *lenticularis*, 65, 71, 73, 75; *monandra*, 65, 71, 73, 75
Leiothrix echinulata, 390

Lejeunea 141
Leptilon canadense, 45
Leptochloa, 68, 69; *dubia*, 65, 71; *filiformis*, 65, 71
Leucolejeunea, 141
LEVINE, MICHAEL: The growth of normal plant tissue in vitro as effected by chemical carcinogens and plant growth substances. III. The culture of sunflower and tobacco stem segments, 110
Ligusticum, 138; *mutellinioides*, 138
Ligustrum ovalifolium, 292
Lilium, 255; *longiflorum*, 288; *tigrinum*, 373, 374
Limnodoea arkansana, 65, 68, 71
Linaria vulgaris, 95
Liparis liliifolia, 46
Liriodendron, 364
Listera australis, 308
Lithospermum prostratum, 497
Lobelia Gattingeri, 6; *leptostachys*, 6; *spicata* var. *leptostachys*, 6
Loeflingia, 271
Lonicera canadensis, 408; *pericymenum*, 498
Lotus corniculatus, 45
Lucuma caimito, 211
Lupinus alba, 364
Luzula saltuensis, 408
Lyallia, 270, 272
Lynchnis, 270
Lycopersicon esculentum, 383
Lycopersicum esculentum, 373, 374
Lycopodium, 229, 363; *adpressum* 47; *annotinum*, 408; *clavatum*, 408; *tristachyum*, 408
Lygodium, 329; *palmatum*, 46, 335

MCNEW, GEORGE L.: The natural and synthetic quinones in relation to the functions of plants, 294
Macromitrium elizabethae, 217
Magnolia, 253, 255; *acuminata*, 249, 409; *glauca*, 249, 258; *grandiflora*, 249; *tripetala*, 249, 409; *virginiana*, 249, 255, 258, 260; *virginiana* var. *acuminata*, 249; *virginiana* var. *foetida*, 249; *virginiana* var. *glauca*, 249; *virginiana* var. *grisea*, 249; *virginiana* var. *tripetala*, 249
Mahonia swaseyi, 436
Maleic hydrazide, effect on onion root, 262
Malus pumila, 373, 374
Mamy, Sergius H., and Henry N. Andrews, Jr.: A contribution to our knowledge of the anatomy of *Botryopteris*, 462
Manihot utilissima, 509
Manisuris, 74
Maravalia, 212; *ascotela*, 213
Marchantia, 142
MATHIAS, MILDRED E., and LINCOLN CONSTANCE: Four new American Umbelliferae, 133
Matonia, 336
MATSKE, EDWIN B.: In the twinkling of an eye, 222; (Review), 407
Medullosa, 485; *Noei*, 484
Melica, 68, 74
Members of Torrey Botanical Club (Supplement to list published July 1948), 48
Memnoniella echinata, 108
Mesembryanthemum, 270
Metabolism, of carbohydrates by *Neurospora*, 103
Micranthes virginiensis, 408
Microaseus, 517
Microcyas, 363
Microlepidozia sylvatica, 141
Mimusops, 208; *albescens*, 208; *caffra*, 209; *elengi*, 209, 210; *hexandra*, 206; *somalensis*, 210; *subsericea*, 208
Mnium hymenophyllum, 217
MOLDENKE, H. N.: Interesting new records and range extensions, 45; Novelties in the Eriocaulaceae and Verbenaceae II, 389
Monarda, 188; *fistulosa*, 188
Morphology, of mutant "corn grass", 274
MORTON, KENDALL and JULIA MORTON: Fifty Tropical Fruits of Nassau (Review), 232
Morus rubra, 373, 374
Mucor penicillatus, 515
Muhlenbergia, 69, 75; *brachyphylla*, 64, 71; *emersleyi*, 64, 69, 71; *lindheimeri*, 64, 69, 71; *rigens*, 69
Myrica carolinensis, 46

NANNFELDT, JOHN AXEL and G. EINAR DU RIETZ: Native plants of Scandinavia: Bryophytes, Lichens, Fungi, Algae, (Review), 310
Narcissus, 265
Neillia, 409
Nereocystis luetkeana, 309
Nerium oleander, 373, 374
Neurospora, metabolism of carbohydrates by, 103
Neurospora, 103, 194, 107, 108; *crassa*, 104, 105, 107; *sitophila*, 103, 104, 107
Nicotiana, 232; *affinis*, 112 121, 123, 124, 125, 126, 127, 128, 129; *glauca*, 112, 121, 127, 128, 128, 130; *glutinosa*, 112, 121,

127, 128, 129, 130; *Langsdorffii*, 112, 121, 123, 124, 125, 128, 129; *tabacum*, 111, 112, 121, 124, 126, 127, 128, 129, 130; *tabacum* var. *burley*, 126
Nitella, 181, 183; *acuminata*, 35; *mucronata*, 181, 182, 183, 184, 185; *mucronata* subsp. *virgata*, 182, 183, 184; *mucronata* subsp. *virgata* var. *leopyrena*, 182, 183, 185; *mucronata* subsp. *virgata* var. *robustior*, 182, 183; *mucronata* subsp. *virgata* var. *robustior* f. *longifurca*, 183; *mucronata* subsp. *virgata* var. *tenuior*, 182, 183, 185; *mucronata* subsp. *virgata* var. *tenuior* var. *pachygyra*, 183, 185; *mucronata* subsp. *Wahlbergiana*, 182, 183; *mucronata* var. *leiopyrena*, 182, 183; *mucronata* var. *robustior*, 182, 183; *mucronata* var. *tenuior*, 182, 185
Nitrate metabolism, of *Streptomyces coelicolor*, 10; of *Streptomyces griseus*, 176
Nostoc commune, 4
Notholaena, 329
Nothoscordum, 6
Nyssa, 142

Odontoschisma denudatum, 141
Oenothera, 147, 148; *speciosa*, 201
Oikos, new periodical, 308
Oligocladus, 134; *patagonicus*, 134
Onoclea sensibilis, 47
Onion, effect of maleic hydrazide on, 262
Oogonial spines, of *Pythium*, 442
Ophioglossum Engelmannii, 5, 6
Oplismenus, 248; *hirtellus*, 341, 349, 350
Opuntia Rafinesquii, 6
Orcuttia, 67
Orthotrichum stellatum, 172
Oryza, 71
Osmunda cinnamomea, 34, 47, 230; *Claytoniana*, 29; *regalis*, 29, 34, 47
Osmundites, 29; **braziliensis**, 30, **32, 33,** 34; *Carnieri*, 32, 33, 34; *Dowkeri*, 34; *Dunlopi*, 34; *Kolbei*, 34; *Schemnitzensis*, 34
Oxalis recurva, 6; *recurva* var. *macrantha*, 6; *violacea* 6

Pachydictyon, 83, 86, 92; **Binghamiae**, 83, **84**, 85, 88, 89, 90, 92; *coriaceum*, 84, 85, 92; *furcellatum*, 86
Paecilomyces, 517; *varioti*, 517
Palaquium, 211
PALMER, ERNEST J. and JULIAN A. STEYERMARK: Notes on *Geocarpon minimum* Mackensie, 268
Palynological observations, on Spanish Honeys, 495
Panicum, 73, 247, 248; *adspermum*, 73; *alopecuroides*, 247; *americanum*, 248; *arborescens*, 248; *arizonicum*, 73; *compositus*, 248; *crusgalli*, 247; *dactylon*, 248; *dimidiatum*, 247; *dissectum*, 247; *fasciculatum*, 73; *filiforme*, 247; *glaucum*, 247; *italicum*, 247; *miliaceum*, 248; *reptans*, 66, 73, 74, 75; *sanguinale*, 247; *scoparium*, 268; *texanum*, 66, 73
Pappophorum, 67, 68, 74; *bicolor*, 64, 68, 71; *mucronulatum*, 64, 71
Papularia, 385, 387; *Arundinis*, 387, 388; *sphaerosperma*, 387, 388
Parenchyma-Vascular boundary, 340
Paspalum, 73, 247; *dilatatum*, 66, 73; *floridanum*, 66, 73; *plicatulum*, 66, 73; *urvillei*, 66, 73
Passiflora lutea, 6
Payena junghuhniana, 211; *suringariana*, 210
Pelargonium, 288, 373, 374, 378
Pellia, 141
Penicillium, 81, 296, 516, 517; *brevicaule*, 517; *chysogenum*, 517; *crustaceum*, 517; *crostosum*, 77, 78, 81; *cyaneum*, 77, 78, 81; *cyclopium*, 77, 78, 81; *frequentans*, 516; *glaucum*, 516, 517; *janczewskii*, 80; *javanicum*, 516; *luteum*, 516; *notatum*, 517; *olivino-viride*, 77, 78, 81; *spinulosum*, 516; *tardum*, 516; *vermiculatum*, 516; *waksmani*, 77, 78, 81; *wortmanni*, 516
Pennisetum, 73, 247, 349; *alopecuroides*, 341, 349; *ruppelii*, 341, 349; *villosum*, 341, 349
Pentachondra, 248
Peperomia, 373, 374
PERLMAN, D.: The metabolism of carbohydrates by Neurospora, 103
Persona, 251, 252
Pertusaria, 143
Pestalotia stellata, 80
Petalostemum foliosus, 6; *Gattingeri*, 4, 6
Petunia axillaris, incompatibilities in, 94
Petunia axillaris, 96, 97, 98; *nyctaginiflora*, 97
Phalaris caroliniana, 65, 71, 73
Phaseolus vulgaris, 373, 374, 375, 376, 377
Phialophora, 516
Phoenix dactylifera, 373, 378
Phosphorus 32, in normal and gall tissues, 302
Phragmites communis, 47
Phyllostachys, 387

Physcomitrium, 341, 349
Phytomonas tumefaciens, 130
Phytophthora infestans, 295; *stellata*, 453, 455
Picea engelmanii, 373, 378; *pungens*, 378
Pinguicula caerulea, 173; *Jackii*, 173; *lutea*, 173
Pinus, 497; *aristata*, 410; *contorta*, 410; *Jeffreyi*, 378; *lambertiana*, 378; *monophylla*, 373, 378; *Pinaster*, 373, 378
Piper, 253
Piptochaetium, 69
Plant functions, quinones in relation to, 294
Plantago arenaria, 46
Platanus occidentalis, 373, 374
Platycerium, 331
Platyzoma, 323, 336
Plectospira myriandra, 446, 455
Pleuraphis, 69
Pleurochaete squarrosa, 5
Pleuropogon, 67
Poa, 189; *annua*, 341, 349; *pratensis*, 188
Podistera, 137, 138; *Eastwoodiae*, 137; *Macounii*, 138; *nevadensis*, 137; **yukonensis, 136, 137,** 138
Pogonia ophioglossoides, 46; *verticillata*, 410
Poinsettia, 248
POLUNIN, NICHOLAS: Botany of the Canadian eastern arctic, Part III, Vegetation and ecology (Review), 53; Specific and trivial decapitalization, 214
Polycarpon, 271
Polyporus, 296; *anceps*, 104
Polystichum Braunii, 408; *Lonchitis*, 373, 374
Polytrichum, 341, 349
Pompeianum, 21
Populus grandidentata, 307
Potentilla millegrana, 45; *procumbens*, 408
Premna aureolepidota, 402; lepidella, 402; perplexans, 403
Prionosciadium, 139; **crinoideum, 138,** 139; *Sodiroanum*, 139
Proceedings of the Club, 228, 407
Prunus, 343; *Laurocerasus*, 341, 343, 345, 347; *maritima*, 46; *Persica*, 373, 374
Psaronius, 484, 485
Pseudolarix, 409
Pseudotsuga, 363, 364; *taxifolia*, 373, 378
Psilotum, 229
Psoralea subacaulis, 6
Pteris aquilina, 373, 374
Ptychostomum pulchellum, 218
Pulchea camphorata, 47
Pycnophyllopsis, 270
Pythium, 287, 289, 442, 447, 451, 453, 455; *acanthicum*, 442, 444, 455; *anandrum*, 443, 453; *debaryanum*, 442, 455; **helicandrum, 444, 446, 448, 450, 452, 454, 455, 456, 458, 460;** *helicoides*, 447; *irregulare*, 442, 443; *mastophorum*, 442, 443; 453, 455; *mamillatum*, 442, 443; *megalacanthum*, 442, 453, 455; *oligandrum*, 442, 444, 455; *per plocum*, 442; *polymastum*, 442, 443, 453, 455; *spinosum*, 442; *ultimum*, 289, 290, 291, 293, 455

QUARTERMAN, ELSIE: Ecology of cedar glades. I. Distribution of glade flora in Tennessee, 1
Quercus alba, 373, 374; *hemisphaerica*, 196; *hybrida*, 196; *laurifolia*, 196; *obtusa*, 196; *Phellos*, 196; *rhombica*, 196
Quinones, and functions of plants, 294

Radula complanata, 141
Ranunculus, 257; *abortivus*, 408; *foliis inferioribus palmatis, summis digitatis, fructibus oblongis*, 250; *hirtipes*, 257; *hispidus*, 257; *hispidus* var. *typicus*, 257; *repens* var. *hispidus*, 257
RAPER, KENNETH B., and CHARLES THOM: A manual of the Penicillia, (Review), 515
Raphanus raphanistrum, 23; *sativus*, 341, 373
Reboulia, 141
Rhamnus carolinana, 5; *purshiana*, 410
Rhexia interior, 269
Rhodobryum, 141
Rhododendron flavum, 495; *indicum*, 292; *ponticum*, 495
Rhoeo discolor, 224
Rhynchospora globularis var. *recognita*, 269; *glomerata* var. *minor*, 269
Riccardia, 142
Ricinus communis, 373, 375
RICKETT, H. W.: JOHN HENLEY BARNHART, 163; and W. H. CAMP: The application and use of botanical names, 245
Rinodina, 143
ROBBINS, WILLIAM J., ANNETTE HERVEY and MARY E. STEBBINS: Studies on *Euglena* and vitamin B_{12}, 423
ROBERTS, L. W.: A survey of tissues that reduce 2,3,5-triphenyl-tetrazolium chloride in vascular plants, 372
ROGERS, CAMERON: Trodden glory (Review), 308

Romulea uliginosa, 498
Rosmarinus officinalis, 497
Ross-Craig, S.: Drawings of British Plants. Part III. Cruciferae (Review), 406
Rotboellia, 74
Rubus, 497, 500, 501; *Bushii*, 269
Rumex acetosella, 442, 459

Sabal Deringiana, 172; *Etonia*, 172; *Jamesiana*, 172; *Palmetto*, 171; *texana*, 172
Sabatia stellaris, 46
Salicornias ambigua, 47; *europaea*, 47; *mucronata*, 47
Salix interior, 373, 374; *longifolia*, 46
Sambucus canadensis, 373, 374
Sanguinaria canadensis, 307, 308
Sansevieria, 373, 374; *zeylanica*, 341, 347
Saponaria, 270
Sarracenia purpurea, 515
Satureja glabella, 6
Scapania nemorosa, 141
Schedonnardus paniculatus, 65, 69, 71
Schistostega pennata, 47
Schizoea, 228
Schizonotus, 168
Schoenolirion, 6
Sciadopitys, 409
Scirpus, 140; *atrovirens*, 341, 349
Scleranthus, 270, 271, 272
Scleria ciliata, 269; *triglomerata*, 269
Sclerolepis, 140
Sclerotinia sclerotiorum, 287, 289, 290
Scolecopteris, 484
Scopella, of the Uredinales, 204
Scopella, 204, 208, 211, 212, 213; *ascotela*, 213; *aulica*, 205, 207, 208, 209; *bauhiniicola*, 204, 205, 211, 212; *confluens*, 208; *cryptostegiae*, 204, 205, 212 ,213; *echinulata*, 205, 207, 208, 210, 211; *fici*, 205, 213; *gentilis*, 205, 206, 208; **kevorkianii**, 205, **206**, **207**, 208; *lucumae*, 205, 211, 212; **mimusops**, 205, 206, 208, **209**; **palaguii**, 205, **211**; **payenae**, 205, **210**; *sapotae*, 205, 206
Scopulariopsis, 517
Scrophularia, 252, 497
Secale cereale, 497, 501
Sedum pulchellum, 7
Selaginella, 229, 363; *Willdenovii*, 230
Senecio aureus, 341, 347, 350; *glabellus*, 341, 347; *obovatus*, 341, 347, 350; *vulgaris*, 350
Sepuoia, 363, 364; *gigantea*, 373, 378, 410
Serenoa repens, 172
Setaria, 247; *imberbis*, 268; *macrostachya*, 66, 73
Sherwoodia galacifolia, 172
Shoot apex and pith, of *Gnetum Gnemon*, 354
Silene, 270
Sinapis alba, 24, 25; *arvensis*, 23
Sitanion hystix, 64, 67, 71
Smilax, 194, 347, 351; *herbacea*, 341, 347; *hispida*, 341, 347, 373, 374
Solanum andigenum, 26, 27; *tuberosum*, 26, 27
Sooty stripe disease, of Bamboo, 385
Sophora japonica, 46
Sorbaria, 168
Sorghastrum Elliottii, 66, 73; *nutans*, 66, 73
Sorghum halepense, 276
Spermolepis, 134; *Castellanosii*, 134
Sphagnum, 53, 228; *henryense*, 217
Sphenopholis intermedia, 69; *obtusata*, 65, 69, 71
Spiranthes cernua, 46; *stellaris*, 46
Sporobolus, 68; *asper*, 64, 49, 71; *cryptandrus*, 64, 71; *neglectus*, 64, 71; *virginicus*, 64, 71; *Wrightii*, 64, 71
Sporotrichum schenckii, 77
Stauropteris, 462
Steere, William C.: (Review), 311; On the distribution of *Alpina brevirostris* in North America, 503
Steinberg, Robert A.: The relation of certain soil bacteria to frenching symptoms of tobacco, 38
Stenotaphrum, 247; *secundatum*, 66, 73
Sticherus, 323, 325, 327, 330, 333 ,338; *bifidus*, 324, 325, 327, 328, 329, 330, 331, 332, 333, 334, 339; *flabellatus*, 324, 327, 331, 333; *laevigatus*, 324, 327, 329, 333, 338; *palmatus*, 324, 325, 329, 331, 332, 333, 334, 336; *vestitus*, 324, 325, 327, 328
Stipa, 69, 75
Stokey, Alma G.: The gametophyte of the Gleicheniaceae, 323
Streptomyces coelicolor, 10, 11, 13, 15, 16, 17, 176, 179, 180; *flavus*, 176; *griseus*, 176, 177, 178, 179, 180
Stromatopteris, 323 336
Succisa pratensis, 364
Sunflower, antibiotic and autotoxic effects in, 187; culture of, 110
Swinglea, glutinosa, 368
Syngonanthus Alleni, **390**

Taxodium distichum, 361, 362
Taxus baccata, 373, 378

Thamnopteris, 32
Thelia, 141
Thelotrema, 143
Thirmalacher, M. J., and M. S. Pavgi: Sooty stripe disease of bamboo in India, 385
Thrinax microcarpa, 173; *parviflora*, 171
Thuja occidentalis, 373, 378
Thurya, 270, 272
Thymol ,effects of upon germination of fungus spores, 77
Thymus caespiticius, 497
Tissues, and phosphorus, 32, 382
Tithymalopsis, 248
Tithymalus, 248
Tmesipteris, 229
Tobacco stem segments, 110
Tofieldia racemosa, 46
TOMPKINS, C. M. AND JOHN T. MIDDLETON: Control of basal rot of cuttings of *Chrysanthemum* and other ornamentals, 287
Torreya, 45, 140, 222, 306, 406, 509
Torreya, 361; *nucifera*, 409; *taxifolia*, 409
Tortella, 141
Trachycarpus Fortunei, 373, 378
Tradescantia Tharpii, 269; *virginiana*, 373, 374
Tragus, 69; *berteronianus*, 65, 69, 71; *racemosus*, 69
Tree fern, fossil, 29
Trichoderma, 517
Tridens, 67; *pilosa* var. *mendocina*, 67
Trifolium, 217; *repens*, 497, 501
Trillium, 194; *erectum*, 27, 408
Triodia, 67, 68, 74; *albescens*, 64, 71; *buckleyana*, 64, 71; *elongata*, 64, 71; *flava*, 67; *mutica*, 64, 71; *pilosa*, 64, 71; *stricta*, 64, 71; *texana*, 64, 67, 71; *thomsonii*, 67
Triosteum perfoliatum, 373, 374
Tripetaleia paniculata, 495
2, 3, 5–Triphenyl–tetrazolium chloride, 372
Trollius, 409
TSAO, TSUNG-HSUN AND W. GORDON WHALEY: Uptake and accumulation of phosphorus 32 by normal and gall tissues, 382
Tsuga canadensis, 373, 378; *Sargentii*, 410
Tunica, 270

Ulex europaeus, 497, 501
Ulmaria Ulmaria, 167
Ulmus americana, 373, 374
Umbelliferae, 133
Uniola, 67; *latifolia*, 64, 71; *laxa*, 64, 71; *sessiliflora*, 64, 71
Uredo bauhiniicola, *211*, 212; *confluens*, 205, 208; *cryptostegiae*, *212*; *palaquii*, *211*; *sapotacearum*, *208*; *sapotae*, 204, *205*, 206
Uromyces aulicus, *208*, 210; *echinulatus*, 204, *210*; *gentilis*, *206*; *lucumae*, *211*; *mimusopе*, *209*, 210; *payenae*, *210*
Ustilago Shiraiana, 385, 387
Utricularia, 167, 168; *resupinata*, 46

Vaccinium alto-montanum, 256, 257; *corymbosum*, 260; *liparum*, 256; *subcordatum*, 256; *tallapusae*, 256
VAN FLEET, D. S.: The cell forms, and their common substance reactions in the parenchyma-vascular boundary, 340
Vascular plants, reduction of triphenyltetrazolium chloride in, 372
Vaseyochloa, 68; *multinervosa*, 64, 68, 71, 74
Verbenaceae, 389
Verbena goyazensis, **404**; *occulta* f. **alba**, **405**; *officinalis*, 45
Vernonia missurica, 7
Veronica, 292; *scutellata*, 45
Vestal, Arthur G.: Minimum areas for different vegetations, their determination from species-area curves (Review), 309
Vicia sativa, 373
Vieitez, Ernesto: Palynological observations on some Spanish honeys, 495
Vinca rosea, 110
Viola cucullata, 307; *incognita*, 408; *labradorica*, 408; *rafinesquii*, 308; *Selkirkii*, 408
Vitamin B_{12}, 423

Washingtonia filifera, 173
Welwitschia, 362, 364
Whaley, Gordon W. and James H. Leech: The developmental morphology of the mutant "corn grass.", 274
Witkus, E. Ruth: (Review), 407; and C. A. Berger: Induced vascular differentiation, 301
Wolf, Frederick T. and Frederick A. Wolf: Morphological effects of thymol and related compounds upon germination of fungus spores, 77
Wood, R. D.: Braun's "Fragments" and the nomencalture of the Characeae. 35; Braun's "Fragmente" and the nomenclature of the Characeae. II. *Nitella mucronata*, 181.
Woodsia ilvensis, 141

Xanthoria, 143

Yucca flaccida, 6

Zalesskya, 32
Zamia, 363
Zea Mays, 341, 349, 373, 375, 497, 501
Zinnia, 350
Zizania, 71, 73; *texana*, 65, 71, 73, 75
Zizaniopsis miliacea, 66, 73
Zoysia, 69
Zygophyllidium, 196